Elder Abuse

The Health Sector Role in Prevention and Response















Elder abuse is a hidden problem.

1 in 6 older adults worldwide have been abused in the past year.









What is **elder abuse**?

It's the abuse and neglect of older people. It takes many forms.



Physical abuse

- Hitting, pushing, kicking
- Inappropriate use of drugs or restraints



Psychological or emotional abuse

 Insults, threats, humiliation, controlling behavior, confinement and isolation



Sexual abuse

Sexual contact without consent



Financial exploitation

 Misusing or stealing a person's money or assets




Neglect or abandonment

 Not providing food, housing, or medical care

Elder abuse can happen just once or repeatedly.

People who commit elder abuse are often in a position of trust.








Health care workers

Elder abuse is common.



Elder abuse can happen at home.

- 90% of all abusers are family members.
- Most abusers are adult children, spouses and partners.





Elder abuse can also happen in institutions.

- Nursing homes
- Long-term care facilities



Data about elder abuse in hospitals, nursing homes, and other long-term facilities is scarce. But a survey of nursing home staff in the United States suggests that rates may be high.

Many staff members had seen elder abuse or committed it:

36% witnessed physical abuse

10% committed physical abuse

40% committed psychological abuse

But only 4% of elder abuse is reported. Why?

Older people may:



Fear retaliation



Worry about getting the abuser in trouble




Be mentally incapable



Feel ashamed or embarrassed

In many countries, older people have nowhere to turn for help — because there are limited systems in place to address elder abuse.

Elder abuse has **devastating consequences**.



One study from the United States tracked older people over 13 years and found:

Victims of elder abuse were twice as likely to die compared to older people who did not report abuse.

Elder abuse has high costs.



In the United States:

US\$5.3 billion

each year in medical costs from violent injuries to older people

What are the risk factors for **committing** elder abuse?

Using or abusing drugs or alcohol

High stress levels

Depression



Lack of social support

Lack of training in how to care for older people

Emotional or financial dependence on the older person

What are the risk factors for **suffering** elder abuse?



Older people with dementia are at special risk.

As many as

2 out of 3

people with dementia have been abused.

But elder abuse doesn't only happen to the frail and sick. It can happen to any older person.

Elder abuse is **preventable** — and everyone has a role to play.

We can help ensure that older people live in safety — without fear of being hurt, exploited, or neglected.



The public can:

- √ Watch for signs of elder abuse
- ✓ Learn how to get help and report abuse



Older people can:

- √ Stay connected to family and friends
- ✓ Learn more about their rights
- ✓ Use professional services for support where available
- ✓ Make sure their financial and legal affairs are in order



Family and informal caregivers can


lower their risk of committing abuse by learning ways to cope:

- √ Get help from family or friends
- √ Take breaks
- ✓ Get support from local health and social services

The health sector can help stop elder abuse in communities, hospitals, and institutions.



There are promising strategies, such as developing:



Caregiver support to reduce stress

Caregiver training on dementia

Residential care policies to define and improve standards of care



However, most nations report that they still don't have formal action plans to address elder abuse.

A recent survey of 133 countries found that:

Only 40% had national plans

Only 17% had a national survey

We also need more research about elder abuse — its risk factors, consequences, and solutions — especially in low- and middle-income countries.

Around the world, governments can do more to address and prevent elder abuse. The health sector can:

Raise awareness within the health sector and other sectors about the health and social burden of elder abuse

Recognize elder abuse as a public health problem and establish a focal point to address elder abuse

Develop and test evidence-based interventions to prevent elder abuse

Provide services to victims of elder abuse

Collaborate with other sectors to address elder abuse, such as criminal justice, health, and social services











Support World Elder Abuse Awareness Day on 15 June

Get involved —

contact your local ageing services organization

Raise awareness —

talk with friends, family and colleagues

WHO Resources:

- Global status report on violence prevention 2014
- Violence prevention: the evidence
- WHO Department for Management of NCDs, Disability, Violence, and Injury Prevention (http://www.who.int/violence_injury_prevention/violence/en/)

Design by
Communicate Health
www.communicatehealth.com
WHO/NMH/NVI/16.5 © WHO, 2016.

All rights reserved.